



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/645,364	08/21/2003	Gilles Amblard	H1902 / AMDP981US	7431

23623 7590 03/22/2007
AMIN, TUROCY & CALVIN, LLP
1900 EAST 9TH STREET, NATIONAL CITY CENTER
24TH FLOOR,
CLEVELAND, OH 44114

EXAMINER

CHACKO DAVIS, DABORAH

ART UNIT	PAPER NUMBER
----------	--------------

1756

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	03/22/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Office Action Summary

Application No.

10/645,364

Applicant(s)

AMBLARD ET AL.

Examiner

Daborah Chacko-Davis

Art Unit

1756

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on December 22, 2006.
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-23 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1, and 3-23 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 3-8, 10, and 17-23, are rejected under 35 U.S.C. 103(a) as being unpatentable over U. S. Patent No. 6,650,422 (Singh et al, hereinafter referred to as Singh) in view of U. S. Patent No. 6,6561,706 (Singh et al, herein after referred to as Singh '706) and U. S. Patent No. 6,905,949 (Arita).

Singh, in the abstract, in col 1, lines 32-39, in col 2, lines 14-52, in col 3, lines 8-20, in col 4, lines 1-12, in col 6, lines 6-66, in col 9, lines 1-15, and lines 45-67, discloses a method for selectively mitigating asymmetry in the pattern profile of features (line widths, spacing, packing density, surface geometry) on a semiconductor device, using scatterometry techniques (using scatterometry system), and detectors that characterize and measure data from the photoresist pattern and determine the pattern profile from the collected data, storing the determined profile in the memory component of the processor system, determining the profile characteristics of each side of the photoresist pattern feature by comparing data associated with known feature profiles, and ascertaining the asymmetry for both sides of the feature. Singh, in col 9, lines 1-15, discloses that the data set associated with the features under analysis may be put into the trained neural network (artificial intelligence) which will then provide a determination

of the state of the feature profile (making inferences), and the asymmetric information associated with the feature under analysis is feedback or fed forward into fabrication process parameters (including repeated exposing, developing and etching processes i.e., the trim etch component) (and generating feedback) (claims 1, 3-8, 10 and 17-23).

The difference between the claims and Singh is that Singh does not disclose that the pattern profiles determined, for mitigation, on the photoresist features are that of line-edge roughness, and critical dimensions.

Singh '706, in col 2, lines 14-66, in col 5, lines 47-67, discloses a system that monitors the photoresist pattern features and generate information from scatterometric analysis, and control subsequent processes based on the collected data from monitoring previous processes, and therefore facilitate achieving desired critical dimensions and pattern dimensions (such as width, spacing, slope of the sides of a feature, etc.).

The difference between the claims and Singh in view of Singh '706 is that Singh in view of Singh '706 does not disclose the mitigation of line-edge roughness.

Arita, in col 4, lines 1-9, discloses a non-lithographic shrink component employed to eliminate the edge roughness of the resist pattern (line-edge roughness).

Therefore, it would be obvious to a skilled artisan to modify Singh by employing the method of monitoring features such as CD and LER as suggested by Singh '706 because Singh '706, in col 2, lines 46-63, and in col 3, lines 1-28, discloses that determining desired critical dimensions and characteristics of patterned features lead to substantial uniformity of critical dimensions between layers, which in turn facilitates

Art Unit: 1756

higher speeds in such chips. It would be obvious to a skilled artisan to modify Singh in view of Singh '706 by employing the method suggested by Arita to eliminate the edge roughness of the photoresist pattern because the Arita, in col 4, lines 1-9, and in col 5, lines 15-42, discloses that the elimination of the edge roughness (by a non-lithographic component) of the resist pattern in the extending direction i.e., line direction prevents the variation of the linewidth of the resist pattern.

3. Claims 9, 11-16, are rejected under 35 U.S.C. 103(a) as being unpatentable over U. S. Patent No. 6,650,422 (Singh et al, hereinafter referred to as Singh) in view of U. S. Patent No. 6,6561,706 (Sing et al, herein after referred to as Singh '706) and U. S. Patent No. 6,905,949 (Arita) as applied to claims 1-8, 10, and 17-23 above, and further in view of U. S. Patent No. 6,730,458 (Kim et al., hereinafter referred to as Kim).

Singh in view of Sing '706 is discussed in paragraph no. 2.

Singh, in the abstract, in col 2, lines 14-52, in col 3, lines 8-20, in col 4, lines 1-12, in col 6, lines 6-66, in col 9, lines 1-15, and lines 45-49, discloses determining the photoresist pattern profile from the collected data, storing the determined profile in the memory component of the processor system, determining the profile characteristics of each side of the photoresist pattern feature by comparing data associated with known feature profiles, and ascertaining the asymmetry for both sides of the feature. Singh, in col 9, lines 1-15, discloses that the data set associated with the features under analysis may be put into the trained neural network (artificial intelligence) which will then provide a determination of the state of the feature profile (making

inferences), and the asymmetric information associated with the feature under analysis is feedback or fed forward into fabrication process parameters (and generating feedback) (claims 11-14, and 16).

The difference between the claims and Singh in view of Singh '706 and Arita is that Singh in view of Singh '706 and Arita does not disclose that the non-lithographic shrink component comprises one of the claimed components recited in claims 9, and 15.

Kim, in col 2, lines 3-16, discloses using RELACS processes (non-lithographic shrink component, a chemical technique) for correcting line-edge roughness.

Therefore, it would be obvious to a skilled artisan to modify Singh in view of Singh '706 by employing RELACS processes suggested by Kim because Kim, in col 2, lines 3-24, discloses that implementing RELACS and thermal flow in photoresist pattern results in the reduction of viscosity of the polymerized photoresist and allows it to flow or slump, thereby reducing of the size of the contact openings to achieve fine patterns of desired contact hole sizing.

Response to Arguments

4. Applicant's arguments filed December 22, 2006, have been fully considered but they are not persuasive. The 103 rejections made in the previous office action are maintained.

A) Applicants argue that Singh does not disclose monitoring and mitigating line edge roughness (LER) on the photoresist and a trim etch component that facilitates selectively satisfying at least one CD on the photoresist

Singh is not depended upon to disclose mitigating LER or satisfying a critical dimension or monitoring the LER or CD information of the photoresist. Singh is depended upon to disclose accurately detecting asymmetry in the profile of a feature formed on a wafer (resist pattern, etched pattern etc.), adjusting process parameters that are subsequently performed (processes performed after exposure, and development of the feature) based upon the asymmetry detected; the subsequent processes (such as etching, adjusting post-exposure processes etc) are performed to compensate for the asymmetry. Singh, in col 6, lines 12-18, and lines 29-31, discloses that the features whose asymmetry are to be determined are that of photoresist features (reference 61a of figure 2). Singh, in col 9, lines 60-67, does teach selectively correcting (by repeating exposing or etching processes) determined asymmetry by selectively locating one or more portions of the image field on a substrate to compensate (mitigate selectively) for the determined asymmetry on that one or more portion of the image field. Singh '706 is depended upon to disclose monitoring photoresist features and determining CD's and pattern profile of the monitored photoresist features.

B) Applicants argue that Arita only teaches reflow techniques and does not disclose selectively mitigating LER on a given photoresist.

Arita is not depended upon to disclose selective mitigation. Arita is depended upon to disclose a non-lithographic shrink component to eliminate edge roughness (LER) of the resist pattern. Singh is depended upon to disclose selective mitigation.

Conclusion

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daborah Chacko-Davis whose telephone number is (571) 272-1380. The examiner can normally be reached on M-F 9:30 - 6:00. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark F Huff can be reached on (571) 272-1385. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you

Application/Control Number: 10/645,364

Page 8

Art Unit: 1756

have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

dcd

March 19, 2007.



JOHN A. MCPHERSON
PRIMARY EXAMINER